

// TT

TT5



Winspace Cycling Co., Ltd // TT5

Winspace TT5: UCI-Compliant Race-Ready Time Trial Machine
Engineered for Speed, Handmade for the Podium.

The TT5 is designed to deliver uncompromising speed and reliability for competitive riders across all UCI-sanctioned events and time trial races. It adheres strictly to UCI regulations while incorporating cutting-edge aerodynamic engineering and race-proven technology to give you the edge against the clock.

Whether you're competing in local time trials, national championships, or UCI-level events, the TT5 delivers the speed, rigidity, and flexible bike fitting to slice through the air and deliver racing winning performances.



DESIGN PHILOSOPHY

PRECISE SADDLE POSITIONING

Dial in your ultimate aero fit. The sliding saddle rail ensures millimeter-perfect positioning for maximum power output, comfort and aerodynamics.



ADJUSTABLE AEROBARS

Fully adjustable aerobars allow fine-tuning of height, reach, and angle to achieve the most efficient and comfortable riding position.



ULTRA-SLIM SEATPOST

Razor-thin profile. Lightning-fast look. Minimizes frontal area for maximum aero gain. A seamless blend of speed and ride feel.



ENHANCED ACCELERATION AND MAXIMIZED POWER TRANSFER

The ultra-short chainstay enhances acceleration and maximizes power transfer for a more responsive ride.



Patented Closed Thru-Axle Fork Design

Streamlines the front end for cleaner airflow and improved aerodynamic efficiency.




MAINTAIN HIGHER SPEEDS

The frame's aerodynamic shaping minimizes drag and helps you maintain higher speeds with less effort.



GEOMETRY TT5

Winspace Cycling Co., Ltd // TT5



Winspace Cycling Co., Ltd // TT5

		XXS	XS	S	M	L	XL
A	Seat Tube Length	480	500	520	540	560	580
B	Stack	480	500	520	541	561	580
C	Reach	372	383	395	407	419	431
D	Top Tube Length	507	519	544	562	580	598
E	Head Tube Length	77	96	117	138	161	181
F	Wheelbase	967	982	997	1015	1030	1048
G	Chainstay Length	410	410	410	410	410	410
H	BB Drop	75	75	73	73	70	70
I	BB Height	273	273	273	273	273	273
J	Seat Tube Angle	74°	74°	74°	74°	74°	74°
K	Head Tube Angle	71°	71.5°	72°	72°	72.5°	72.5°
L	Fork Length	371	371	371	371	371	371
M	Fork Rake	50	50	50	50	50	50
N	Trail (45C)	64.2	61.2	58.2	58.2	55.3	55.3
O	Seatpost Length	400	400	400	400	400	400
Q	Standover Height	738	758	781	800	823	842
	Tire	700C*35C	700C*35C	700C*35C	700C*35C	700C*35C	700C*35C
	STR	1.290	1.305	1.316	1.329	1.339	1.346
	Recommended Height CM	155~163	163~170	170~178	178~185	185~193	193~200

Selection of frame size is based on the measurement of the actual height of the span, height is supplemented, height is for reference only, it is recommended to collect FITTING data in order to make an accurate choice!

		L-TWOO ERX KRONOS WHEEL
Complete Bike Weight		Approx. 9.65kg (Size M, without pedals)
Frame & Fork	Frame	T700 + T800
	Fork	T700 + T800
	Headset	NO.55R 1.5" / ACR / STD
	Sizes	XXS / XS / S / M / L / XL
Groupset	Shifters	L-TWOO ERX BL-R9001 / SW-R9001
	Front Derailleur	ERX FD-R9301 Electronic
	Rear Derailleur	ERX RD-R9301
	Crankset	Shimano 105 FC-R7100 50-34T
	Cassette	Shimano 105 CS-R7101 11-34T
	Chain	SUMC Chain
	Brakes	SHIMANO 7120 Hydraulic Disc Brake
Wheel & Tire System	Wheelset	Kronos Tri-spoke & Disc Wheels
	Tires	Michelin POWER CUP, 700 × 28C
Cockpit & Contact Points	Integrated Handlebar	Carbon Base Bar + Extension TT Bars
	Stem Length Options	80 / 100 mm
	Bar Tape	SELLE ITALIA SG-Tape
	Saddle	SELLE ITALIA
	Seatpost	AERO
Bottom Bracket	Bottom Bracket (BB)	T47-68MM (External)

